



**Prodapt** powering  
global telecom

**Attract and retain customers with enhanced broadband  
service coverage**

*Leverage a unified serviceability framework to improve the service qualification*

Credits


Srinivas B

Vijayan B

Mogan A B

# Broadband Service Qualification has Become Cumbersome and Time-consuming Leads to Customer Disqualification and Poor Serviceability

Most DSPs are challenged with ineffective service qualification process which impacts **Customer Experience (CX)**



**New customers**  
experience unserviceability



**Existing subscribers**  
face poor customer experience due to reduced service offering (e.g.) under-qualified bandwidth



Unrealized **service opportunities**

## Contributing factors

**Non-standardized**  
address and service repositories

**Lack of support for multi-technologies**  
(e.g.) Copper, Fiber, IPTV, Cable, Fixed Wireless

**Lack of agility to accommodate real-time customer needs**  
static qualification & feasibility check

**Inaccurate** measurement of loop length

Ineffective service qualification directly impacts DSPs day-to-day operations



**Reduced Customer Acquisition**



**Customer Churn**




**Opportunity Loss**

➔ DSPs need to focus on *improving service qualification* to provide the **better services for retaining and enlarging the customer base**

# Recommended Approach to Achieve Improved Serviceability Using Unified Serviceability Framework

Improved customer engagements and real-time responses for service qualification inquiries are achieved by using this framework



This insight elaborates on the *unified serviceability framework* and the key enablers for improving service qualification process

# Standardizing the Address Catalog using Intelligent Address Qualifier

## Data Integration and Extraction



Process  
Workflow

Data Integration  
& Extraction


Adding Data Intelligence  
(Geographic & Geometric)

Local Loop  
Evaluation

Standardized  
Address Catalogue



Static Survey data in the traditional approach is replaced by **Geo-based Outside Plant Inventory** in the new approach (consisting of the line equipment, cross-connect, and terminals)



Extracted addresses are in a non-standardized format and it needs to be standardized before adding further intelligence

# Standardizing the Address Catalog using Intelligent Address Qualifier

## Adding Data Intelligence (Geographic & Geometric)



Process  
Workflow

Data Integration  
& Extraction



Adding Data Intelligence  
(Geographic & Geometric)



Local Loop  
Evaluation




Standardized  
Address Catalogue




### Address Normalization Using API Integration

Validate different address formats from multiple sources and map into one standard universal format (United States Postal Service) using API integration




### Address Enrichment Using Geo-data

Discover the network sources for specific customer location  
Pin the specified Geographic & Geometric location with eligible resources




### Correlating Location and Customer Address

Create Linkage between the network location and serviceable customer address  
Build relationships such as one-to-one, many-to-one addresses.



### Adding Census Block to Address


Mapping Census Block is the final stage of the four-step process  
Statistical Data comprises of plot numbers, blocks, street range, and boundaries.



Adding data intelligence (Geographic, Geometric & linking network location) help in improving serviceability of customer address by **33%**

# Standardizing the Address Catalog using Intelligent Address Qualifier

## Accurate Local Loop Evaluation



**Traditional Approach** | Calculating the local loop using the static outside plant inventory data gives inaccurate results, causing limited service offering.

### Recommendations

Using the Intelligent Address Qualifier to compute the local loop between customer location & network terminal provides **accurate value.**

#### Local Loop Evaluation using Intelligent Address Qualifier

Identify the nearest network terminal to provide service

Select the shortest path to provide the service to the customer

Find the available capacity (cable pair, MDF and XConn) from the terminal

Calculate the accurate local loop

\*MDF - Main Distribution Frame, XConn – Cross connect






Fig: Sample image of accurate local loop calculation using Intelligent Address Qualifier

After evaluating the loop length, the customer location gets qualified for providing the service. The standardized address value get stored as a catalogue and referred in the service qualification

# Building Qualified Service Repository using Adaptive Service Engine



**Physical Inventory - Elements for Network Qualification**

- Collecting the maximum attainable bit rate
- Performance metrics from various nodes


**Logical Inventory - Elements for Logical Qualification**

- Logical instances, Backhaul Bandwidth
- Product Catalogue and Rate Reach

Various limitations of static qualification using inventory data is greatly overcome by leveraging adaptive service engine. It enables DSPs to improve customer experience and customer retention

# Building Qualified Service Repository using Adaptive Service Engine

## Improved Service Qualification using Orchestrator and Qualification Controller





# Sample screenshots –

## Traditional vs. Improved Service Qualification Using Adaptive Service Engine



Traditional  
service  
qualification

Street#	Pre Dir	Street Name	St Type	City/Community	State	ZIP	
3682	(Clear) v	NIAGARA DR		LEXINGTON	Kentucky v	40517	Search

### Internet Speed Qualifications

DSL Qual	Qual up to 25Mb Range	Speed down	23.68 Mb
Cable Qual		Speed up	2.05 Mb

Improved  
Service  
Qualification  
Copper, Fiber, Fixed  
Wireless and IPTV  
with respective Max  
Speeds

Street Address	Apt/Unit	City	State	Zip	Search	Clear
3682 NIAGARA DR		LEXINGTON	KY v	40517		

Address Id : 800000000000024566763 Copy

CoJack : N

New Construction : N

Geo Precision :

### Serviceability UI

Max Qual	QUAL UP TO 1 GIG RANGE				
		Max Speed Up	Max Speed Down	VOIP	RDP
DSL Qual	QUAL UP TO 50 MB RANGE	1.966 MB	47.317 MB	N	N
Fiber Qual	QUAL UP TO 1 GIG RANGE	1000 MB	1000 MB	Y	N
Fixed Wireless Qual	QUAL UP TO 25 MB	2.048 MB	28.8 MB	N	N
Cable HSI Qual					
IPTV Qual	QUAL UP TO 15 MB IPTV	1.5 MB	15.2 MB	N	N
Future Qual					

# Qualification Optimizer Tool


On-demand manual service qualification override for sales promotions and data corrections



**Build a Qualification optimizer module to be integrated with Unified Serviceability Framework to enable :**

Sales & marketing team to enhance service qualifications for target segment, for promotions, mass upgrades and achieve higher customer retention.

Engineering team to resolve configuration issues and perform data corrections.



- Benefits of Qualification Optimizer**
- Support on-demand product and service retiring
- Enable sales promotions and campaign reach
- Retain customers through mass upgrades
- Eliminates service requests for data correction

# Sample Screenshots from Qualification Optimizer

## Generic Workflow for Enhanced Service Qualification



### 1 Pre-Optimizer

Identify the customer address for qualification improvement

Street Name: 801 W WALL ST | St Type: | City/Community: CENTERVILLE | State: IA | ZIP: | Search | Clear

DSL Qual: Qual Up to 50Mb | Max. Speed Up: 11.928 Mb | Max. Speed Down: 48.007 Mb | New / Existing: E

### 3 Post-Optimizer

Results in enhanced service qualification for the selected customer address

Street Name: 801 W WALL ST | St Type: | City/Community: CENTERVILLE | State: IA | ZIP: | Search | Clear

DSL Qual: Qual Up to 100Mb Range | Max. Speed Up: 128 Mb | Max. Speed Down: 128 Mb | New / Existing: E

### 2 Qualification Optimizer

Retrieve the address from specific market area / exchange / network location for qualification improvement

Search by DWG/CLI: CNVLIAXO | Only return modified records:  Search

Address ID	Address L1	Address L2	City	State	Postal	Wire center	Terminal
...00010117430 M	2010 S 15TH ST		CENTERVILLE	IA	52544	CNVLIAXO	000006
...00103239216 B CMAP	22408 490TH ST		CENTERVILLE	IA	52544	CNVLIAXO	000001
...00015299744 M	2024 GOLFVIEW CIR		CENTERVILLE	IA	52544	CNVLIAXO	000004
...000197113388 M	1112 N HAYNES AVE		CENTERVILLE	IA	52544	CNVLIAXO	000004
...00019719735 M	519 W MADISON ST		CENTERVILLE	IA	52544	CNVLIAXO	000008
...00019500354 M	801 W WALL ST		CENTERVILLE	IA	52544	CNVLIAXO	000008
...00020686998 M	2056 GOLFVIEW CIR		CENTERVILLE	IA	52544	CNVLIAXO	000004
...00020688091 M				IA	52544	CNVLIAXO	000012
...00011460875 B CMAP				IA	52544	CNVLIAXO	00002A

Select the specific address from the identified location

Location Details

000011

CNVLIA

CNVLIACS

Configure a different wire center to provide higher bandwidth

Product Details

New COPPER

QUAL UP TO 100 MB RANGE

QUAL UP TO 1 MB VACATION BB

QUAL UP TO 1.5 MB-BEST EFFORT

QUAL UP TO 1.5 MB-EXTENDED REACH

QUAL UP TO 3 MB

QUAL UP TO 4 MB

QUAL UP TO 6 MB

QUAL UP TO 10 MB

QUAL UP TO 12 MB

QUAL UP TO 15 MB

QUAL UP TO 20 MB

QUAL UP TO 25 MB

QUAL UP TO 25 MB RANGE

QUAL UP TO 50 MB

QUAL UP TO 50 MB RANGE

QUAL UP TO 75 MB

QUAL UP TO 100 MB

QUAL UP TO 100 MB RANGE

QUAL UP TO 200 MB RANGE

QUAL UP TO 300 MB RANGE

Apply Changes | Clear

Update the required product details from the catalog

Update an effective date for the new qualification

Override Details

OTHER

2020-05-10 | End Date

Qualification Optimizer enables upselling and cross-selling in real-time with improved qualification and enhanced customer experience

# Benefits Achieved by a Leading DSP In North America After Implementing Unified Serviceability Framework

A leading DSP in North America faced major challenges in the service qualification process, which lead to poor CX (Customer Experience) and missed opportunities.

**Implementing the recommended approach as discussed in this insight, resulted in the following benefits.**



**41%**

Improved  
**Qualification  
Coverage**  
with Standardized  
Address Catalogue



**27.5%**

**Delightful  
Customer  
Experience**  
due to higher  
bandwidth



**5.5%**

**Enhanced  
Qualification**  
using Overriding  
Mechanism



## Get in touch

### USA

**Prodapt North America, Inc.**  
Tualatin: 7565 SW Mohawk St.,  
Phone: +1 503 636 3737

**Dallas:** 1333, Corporate Dr., Suite 101, Irving  
Phone: +1 972 201 9009

**New York:** 1 Bridge Street, Irvington  
Phone: +1 646 403 8161

### CANADA

**Prodapt Canada, Inc.**  
Vancouver: 777, Hornby Street,  
Suite 600, BC V6Z 1S4  
Phone: +1 503 210 0107

### PANAMA

**Prodapt Panama, Inc.**  
Panama Pacifico: Suite No 206, Building 3815  
Phone: +1 503 636 3737

### UK

**Prodapt (UK) Limited**  
Reading: Davidson House,  
The Forbury, RG1 3EU  
Phone: +44 (0) 11 8900 1068

### IRELAND

**Prodapt Ireland Limited**  
Dublin: 31-36 Ormond Quay Upper  
Phone: +44 (0) 11 8900 1068

### EUROPE

**Prodapt Solutions Europe &  
Prodapt Consulting B.V.**  
Rijswijk: De Bruyn Kopsstraat 14  
Phone: +31 (0) 70 4140722

**Prodapt Germany GmbH**  
München: Briener Straße, 80333  
Phone: +31 (0) 70 4140722

**Prodapt Switzerland GmbH**  
Zürich: Mühlebachstrasse 54,  
8008 Zürich

**Prodapt Austria GmbH**  
Vienna: Cityport 11, Simmeringer  
Hauptstraße 24, 1110  
Phone: +31 (0) 70 4140722

### SOUTH AFRICA

**Prodapt SA (Pty) Ltd.**  
Johannesburg: No. 3,  
3<sup>rd</sup> Avenue, Rivonia  
Phone: +27 (0) 11 259 4000

### INDIA

**Prodapt Solutions Pvt. Ltd.**  
Chennai: Prince Infocity II, OMR  
Phone: +91 44 4903 3000

“Chennai One” SEZ, Thoraipakkam  
Phone: +91 44 4230 2300

IIT Madras Research Park II,  
3<sup>rd</sup> floor, Kanagam Road, Taramani  
Phone: +91 44 4903 3020

**Bangalore:** “CareerNet Campus”  
2<sup>nd</sup> floor, No. 53, Devarabisana Halli,  
Phone: +91 80 4655 7008

# THANK YOU!